

17 including all road construction or maintenance equipment and machinery except when
18 engaged in actual construction or maintenance procedures and all other construction
19 equipment and machinery, unless there is displayed on the rear thereof an emblem which
20 shall comply with subsection (b) of this Code section or an amber strobe light operated in
21 compliance with Code Section 40-8-35. It shall also be unlawful to operate upon the public
22 roads of this state without such an emblem any three-wheeled motorcycle used only for
23 agricultural purposes unless such three-wheeled motorcycle is licensed as required by
24 Chapter 2 of this title and is in compliance with all other requirements of this chapter.

25 (b) The emblem required by subsection (a) of this Code section shall conform with those
26 standards and specifications adopted for slow-moving vehicles by the American Society
27 of Agricultural Engineers in December, 1966, and contained within such society's standard
28 ASAE S276.1, or shall be an emblem of the same shape and size painted on such vehicle
29 in a bright and conspicuous retroreflective red orange paint. Such emblem shall be
30 mounted on the rear of such vehicles, in the approximate horizontal geometric center of the
31 vehicle, at a height of three to five feet above the roadway, and shall be maintained at all
32 times in a clean and reflective condition.

33 (c) Any person violating this Code section shall be guilty of a misdemeanor.

34 (d) Nothing in this Code section shall apply to any self-propelled, two-wheeled vehicle."

35

SECTION 2.

36 Said chapter is further amended by revising Code Section 40-8-35, relating to operating
37 low-speed vehicles on highway requires amber strobe light, as follows:

38 "40-8-35.

39 Any low-speed vehicle operated on the highways of this state without a properly affixed
40 emblem conforming to the requirements of Code Section 40-8-4 shall display an amber
41 strobe light so as to warn approaching travelers to decrease their speed because of the
42 danger of colliding with such vehicle. Such amber strobe light shall be mounted in a

43 manner so as to be visible under normal atmospheric conditions from a distance of 500 feet
44 from the front and rear of such vehicle."

45

SECTION 3.

46 All laws and parts of laws in conflict with this Act are repealed.